

- alcoholic extract of the aerial parts of *Echinophora platyloba* on the activity of pituitary-gonadal axis in hypercholesterolemic rats. *J App Pharm Sci* 2016;6:115-9.
63. Asghari Nematian M, Mohammadi S. The analgesic effect of *Echinophora platyloba* hydroalcoholic extract in male rats. *J Babol Univ Med Sci* 2015;18:31-7.
 64. Asghari A, Kardavani M. Evaluation of wound healing activity of *Echinophora platyloba* extract on experimental full thickness skin wound in the rat. *J Vet Clin Pathol* 2014;8:691-9.
 65. Sharifian I, Darvishzadeh A. Chemical composition and insecticidal efficacy of essential oil of *Echinophora platyloba* DC (Apiaceae) from Zagros foothills, Iran. *Arthropods* 2015;4:38-45.
 66. Sadraei H, Asghari GH, Yaghoubi KH. The study of the effect of hydro-alcoholic and essential oil of *Echinophora platyloba* on rat isolated ileum contractions *in vitro*. *Research in Medicine* 2003;7:150-5.
 67. Hashemi P, Abolghasemi MM, Ghiasvand AR, Ahmadi SH, Hassanvand H, Yarahmadi A. A Comparative study of hydrodistillation and hydrodistillation-solvent microextraction methods for identification of volatile components of *Echinophora cinerea*. *Chromatographia* 2009;69:179-82.
 68. Sajjadi SE, Ghannadi A. Composition of the essential oil of *Echinophora cinerea* (Boiss.) Hedge and Lamond. *J Essent Oil Res* 2002;14:114-5.
 69. Ahmadi L, Mirza M, Tayebi Khorram M. Essential oil of *Echinophora cinerea* (Boiss.) Hedge and Lamond from Iran. *J Essent Oil Res* 2001;13:82-3.
 70. Uddin Ahmad V, Jassbi AR, Sanei Charlat Pannahi M. Analysis of the essential oil of *Echinophora sibthorpiana* Guss. By Means of GC, GC/MS and ¹³C-NMR Techniques. *J Essent Oil Res* 1999;11:107-8.
 71. Sefidkon F. Extraction and identification of volatile components of *Echinophora sibthorpiana* Guss. *Iran J Med Aromat Plants* 2004;20:149-58.
 72. Baniebrahim S, Razavi SM. Essential oil composition of *Echinophora orientalis* Hedge and Lamond Leaves from Iran. *Pharmacologia* 2013;4:507-10.
 73. Rahimi-Nasrabadi M, Gholivand MB, Niasari M, Vatanara A. Chemical composition of the essential oil from aerial parts of *Echinophora platyloba* DC. from Iran. *J Med Plants* 2010;33:53-6.
 74. Mazloomifar H, Saber-Tehrani M, Rustaiyan A. Constituents of the essential oil of *Echinophora platyloba* DC. Growing Wild in Iran. *J Essent Oil Res* 2004;16:284-5.
 75. Asghari G, Sajjadi S, Sadraei H, Yaghoobi K. Essential oil constituents of *Echinophora platyloba* DC. *Iran J Pharm Res* 2003;2:185-6.
 76. Hassanpouraghdam MB, Safi Shalamzari M, Sepehri N. GC/MS analysis of *Echinophora platyloba* DC. essential oil from Northwest Iran: A potential source of (Z)- β -ocimene and α -phellandrene. *Chemija* 2009;20:120-3.
 77. Asghari J, Khamoie Touli GH, Mazaheritehrani M. Microwave-assisted Hydrodistillation of Essential Oils from *Echinophora platyloba* DC. *J Med Plants Res* 2012;6:4475-80.
 78. Ghani A, Saharkhiz MJ, Hassanzadeh M, Msaada K. Changes in the essential oil content and chemical compositions of *Echinophora platyloba* DC. During Three Different Growth and Developmental Stages. *J Essent Oil Bearing Plants* 2009;12:162-71.
 79. Gholivand MB, Abolghasemi MM, Piryaei M, Maassoumi SM, Papzan A. Microwave distillation followed by headspace single drop microextraction coupled to gas chromatography-mass spectrometry (GC-MS) for fast analysis of volatile components of *Echinophora platyloba* DC. *Food Chem* 2013;138:251-5.
 80. Cook NC, Samman S. Flavonoids chemistry, metabolism, cardioprotective effects, and dietary sources. *J Nutr Biochem* 1996;7:66-76.
 81. Ebadi M. *Pharmacodynamic Basis of Herbal Medicine*. Tehran: Wicket and The Path of Perfection Publishers; 2007. p. 564, 574-8.
 82. Hadjmohammadi M, Karimiyan H, Sharifi V. Hollow fibre-based liquid phase microextraction combined with high-performance liquid chromatography for the analysis of flavonoids in *Echinophora platyloba* DC. and *Mentha piperita*. *Food Chem* 2013;141:731-5.
 83. Shokohiniya Y, Rashidi M. *Phytochemical Studies Defatted Extract of Aerial Parts Echinophora cinerea*. Pharm. D. Thesis, Faculty of Pharmacy, Kermanshah University of Medical Sciences, Kermanshah, Iran; 2013.
 84. Jelodarian Z, Shokoohinia Y, Rashidi M, Ghiasvand N, Hosseinzadeh L, Iranshahi M, *al.* New polyacetylenes from *Echinophora cinerea* (Boiss.) Hedge et Lamond. *Nat Prod Res* 2017:1-8.
 85. Valizadeh H, Mahmoodi KF, Alizadeh Z, Bahadori MB. Isolation and structure elucidation of secondary metabolites from *Echinophora platyloba* DC from Iran. *J Med Plants* 2014;49:15-21.
 86. Mortazaei S, Rafieian M, Ansary Samani R, Shahinfard N. Comparison of phenolic compounds concentrations and antioxidant activity of eight medicinal plants. *J Rafsanjan Univ Med Sci* 2013;12:519-30.
 87. Ghasemi S, Lorigooini Z. A review of significant molecular mechanisms of flavonoids in prevention of prostate cancer. *J Chem Pharm Sci* 2016;9:3388-94.